

ASBUILT INFORMATION

FIELD ENGINEER: NAME:

PROJECT MANAGER:

NAME:

CONSTRUCTION:

NAME:

SUB CONTRACTOR:

NAME:

INSPECTOR:

PHONE#:

CONSTRUCTION COMMENCED:

DATE:

CONSTRUCTION COMPLETED: FIBER INSTALLED:

DATE:

FINAL CLEANUP:

DATE:



MDOT: DISTRICT 3


CITY: DURANT

>>

COUNTY: HOLMES

OSP.MSC.62171 CS.OSFPMS-HOLCTY.MS

PROPOSED FIBER BUILD
E RATE - HOLMES COUNTY
CONSOLIDATED SCHOOL DISTRICT
WILLIAMS - SULLIVAN ELEMENTARY SCHOOL
HOLMES COUNTY
02-03-2021



CONSTRUCTION NOTES:

- ALL CONDUIT WILL BE 4" ID SCHEDULE 40 (ie. PVC OR BSP/GSP, MANUFACTURED SPLIT PVC OR SPLIT BSP/GSP), UNLESS SPECIFIED OTHERWISE.
- 2. CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES 48 HOURS PRIOR TO CONSTRUCTION ACTIVITY. CALL ONE CALL SYSTEM @ 1-800-227-6477.
- 3. ALL UNDERGROUND OBSTRUCTIONS, WHEN LOCATED, WILL REQUIRE THE PLACEMENT OF A BURIED CABLE MARKER AND THE PLACEMENT OF 4" MANUFACTURED SPLIT PVC, BSP/GSP OVER OR UNDER EACH OBSTRUCTION.
- 4. SHORING MAY BE REQUIRED AND SHALL COMPLY TO O.S.H.A. STANDARDS.
- 5. ALL BURIED CONDUIT/CABLE WILL BE PLACED AT 60"
 MINIMUM COVER CROSSING ALL STATE AND OR COUNTY
 ROADS AND ALL CREEK BEDS UNLESS SPECIFIED
 OTHERWISE ON THE CONSTRUCTION DRAWINGS.
- 6. MECHANICAL PROTECTION SHALL BE REQUIRED ANYTIME A 36" MINIMUM COVER IS UNOBTAINABLE UNLESS SPECIFIED OTHERWISE ON THE CONSTRUCTION DRAWINGS.
- ALL 90 DEGREE BENDS IN CONDUIT CONSTRUCTION WILL BE A MINIMUM 38.2" RADIUS UNLESS SPECIFIED OTHERWISE. ALL SPLIT CONDUIT BENDS AND SOLID PVC BENDS SHALL REQUIRE CONCRETE ENCASEMENT, UNLESS SPECIFIED OTHERWISE.
- 8. OPERATIONS PERSONNEL TO BE CONTACTED BY THE CONTRACTOR 48 HOURS PRIOR TO CONSTRUCTION.
- ALL STATIONING IS BASED ON AS-BUILT INFORMATION, THEREFORE SOME VARIANCE SHOULD BE ANTICIPATED. ADJUST AS NEEDED.
- 10. RAILROAD COMMUNICATION AND SIGNAL CABLES TO BE LOCATED PRIOR TO CONSTRUCTION ACTIVITY. RAILROAD TO BE GIVEN 48 HOURS NOTICE PRIOR TO CONSTRUCTION
- 11. ALL BURIED CONDUIT/CABLE WILL BE PLACED AT 24"
 MINIMUM BELOW THE LOWEST POINT OF EXISTING CITY
 UTILITY BEING CROSSED.
- 12. ALL BURIED CONDUIT/CABLE WILL BE PLACED AT 48" MINIMUM BELOW ALL CITY & OR SURFACE STREET(S) WHERE NO UTILITY IS CROSSED.
- 13. CONSTRUCTION CONTRACTOR SHALL PLACE MARKER POLES AT ALL H.H. LOCATIONS & AT EVERY MAJOR P.I. CONTRACTOR WILL PLACE MARKER POLES DURING THE CONSTRUCTION PHASE.

GENERAL NOTES:

- ALL WORK TO BE DONE WITH EXTREME CAUTION, FIBER OPTIC CABLE CARRYING TRAFFIC AND LOSS OF SERVICE WILL RESULT IN LOSS OF REVENUE.
- ALL WORK TO BE PERFORMED IN STRICT ACCORDANCE WITH THE APPLICABLE CODES OR REQUIREMENTS OF ANY REGULATING GOVERNMENTAL AGENCY, TELEPAK, OR THE RIGHT-OF-WAY GRANTOR.
- 3. LOCATIONS OF SOME OF THE PHYSICAL FEATURES WERE OBTAINED FROM DATED RAILROAD EVALUATION MAPS OR OTHER DRAWINGS, AND MAY BE AS SHOWN OR DEPICTED ON THESE DRAWINGS.
- 4. UNDERGROUND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE RECORDS AND FIELD OBSERVATIONS, BUT ARE NOT NECESSARILY EXACT. THEREFORE, UTILITY LOCATIONS WILL BE VERIFIED AT LEAST 100 FEET IN ADVANCE OF TRENCHING OR PLOWING, SO THAT CHANGES IN CABLE PLACEMENT CAN BE MADE IN EVENT OF CONFLICTS.
- 5. ALL KNOWN BURIED OBSTRUCTIONS ARE SHOWN ON THE CONSTRUCTION DRAWINGS. ANY AND ALL OTHERS ENCOUNTERED ARE ALSO THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE, PROTECT, AND REPAIR, IF DAMAGED.
- 6. ANY AND ALL IMPROVEMENTS, SUCH AS, ASPHALT OR CONCRETE PAVEMENT, CURBS, GUTTERS, WALKS, DRAINAGE DITCHES, EMBANKMENTS, SHRUBS, TREES, GRASS SOD, ETC., IF DAMAGED, SHALL BE RESTORED TO ORIGINAL OR BETTER CONDITION.
- 7. EQUIPMENT TYPES SPECIFIED HEREIN (ie: "BACKHOE, "SWAMP PLOW", ETC.) ARE SUGGESTIONS ONLY AND ARE NOT INTENDED AS REQUIREMENTS. CONTRACTOR WILL BE NOTIFIED AS TO EXCEPTIONS.

TRAFFIC CONTROL NOTES:

ALL WORK SHALL COMPLY WITH THE UNIFORM TRAFFIC CONTROL MANUAL. (1998 EDITION OF MUTCD, REVISION 3) OR NEWER VERSIONS OF THIS MANUAL.

CLARIFICATION NOTES:

NOTE: CALLOUTS WILL BE PLACED ON EACH DRAWING INDICATING FOLLOWING:

A. MATERIAL AMOUNTB. DEPTH IF BURIEDC. SIZE OF FIBERD. SIZE OF HDPE

SIZE OF STRAND

F. CABLE ID

0+00-0+00
DIRECTIONAL BORE 0
48" MINIMUM DEPTH
(0) 1.25"HDPE
PULL CABLE 0
(0) 0 CT. F.O.C.

STATION


PLACE UH-4 HANDHOLE
E/W (1)144 CT F.O.C.

PLACE 0 'SLACK

O+00

PLACE 0 'SLACK COIL

OF 0 CT F.O.C.



NOMENCLATURE DEFINITION

1. BM2-8: PLACEMENT OF EIGHT FOOT GROUND ROD OUTSIDE OF HAND HOLE SIX INCHES BELOW GROUND LEVEL WITH PLACEMENT OF GROUND

WIRE WITHE CONNECTOR.

2. BM53F: PLACEMENT OF PLASTIC MARKER POLE, MINIMUM OF 30" IN GROUND

AS INDICATED BY DRAWINGS.

3. BM53F(A): PLACEMENT OF LOCATE MARKER POST AND PLACEMENT OF WIRE INSIDE OF POST FROM GROUND ROD AND SPLICE CLOSURE TO BE TERMINATED

IN POST FOR LOCATION OF FACILITIES AS INDICATED ON DRAWINGS.

4. BM72: RESTORATION OF ASPHALT PER SQ. FT. AS REQUIRED BY COMPANY REP.

5. BM73: RESTORATION OF CONCRETE PER SQ. FT. AS REQUIRED BY COMPANY REP.

6. UO-144: PLACEMENT OF 144 COUNT FIBER INTO INNER-DUCT, LEAVING SLACK IN HAND HOLES AS INDICATED ON DRAWINGS. PRICE PER PLACEMENT IS ON

'PER FOOT' BASIS.

7. UO-24: PLACEMENT OF 24 COUNT FIBER INTO INNER-DUCT, LEAVING SLACK IN HAND HOLES AS INDICATED ON DRAWINGS. PRICE FOR PLACEMENT IS ON

A 'PER FOOT' BASIS.

SYMBOL



<u>∕ BM53F</u>


<u> ∕ BM53F(A)</u>

NONE

NONE

NONE

NONE



FILE N	NAME T-01				
PROJE	CT CITY -				
FULL	FILENAME				
	T-0	1.d	wg		
DATE		DI	ESC	CRIPT	ION
		(100	NSTRI	JCTION
SHEE	Т	DI	RAV	VN B	Y
	1			BB	3
SCAL	 E	P	AGE		
				1	
	REVIS	 	 /\	JS	
DC/			_	NITIALS	DATE
REV.	DESCRIPTIO	IN	l Ir	NITIALS	DATE
	MATERI	Αl	_	LIS	T
ITEM	DESCRIPTIO				ANTITY
1	TOTAL CABL			0'	
3	DIR-BORE (LE	0' 0'	
4	PULL CABLE BURIED SLA			0,	
5	1.25" HDPE	OIX		0'	
6	5" HDPE CA	SIN	lG	0'	
7	HANDHOLES			0	
8	MANHOLES			0	
9	SPLICE CLOS	SUF	RE	0	
10	H-POSTS GROUND RO	DC		0	
12	AERIAL CABL			0,	
13	RISERS			0	
14					
	PRFPA	RF	Ŋ	RY	

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT: THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT.

S PRIOR

S PRIOR

S PRIOR

SENS ISSUED IN STRICT


CONFIDENCE AND SHALL NOT BE REPRODUCED,


COPIED, OR USED FOR ANY PURPOSE

COPIED, OR USED FOR ANY PURPOSE

WITHOUT SEPCIEL WOTTEN, BETAINSON

SYMBOLS KEY





POLE ATTACHMENT ABBREVIATIONS

PWR	POWER ATTACHMENT	PWR OHG	POWER OVERHEAD GUY
TRI	TRIPLEX	CATV OHG	CATV OVERHEAD GUY
СОММ	COMMUNICATIONS ATTACHMENT	CAP BANK	CAPACITOR BANK
CATV	CATV ATTACHMENT	CLTCKT	FIRE ALARM CIRCUIT
SL	STREET LIGHT	PWR DIP	POWER DIP
TSIG	TRAFFIC SIGNAL	COMM DIP	COMMUNICATIONS DIP
MDW	MULTI DROP WIRE	CATV DIP	CATV DIP
сомм он	G COMMUNICATIONS OVERHEAD GUY	TEOP	TRAFFIC LIGHT
FL	FLOOD LIGHT	TGUY	TRAFFIC GUY
WH	WEATHER HEAD	MS	MIDSPAN
TRAN	TRANSFORMER	OHG	OVERHEAD GUY
TELEPAK	TELEPAK ATTACHMENT	TOP	TOP OF POLE
SEC	SECONDARY POWER	NEU	NEUTRAL



FILE 1	NAME T-02					
PROJE	CT CITY -	CT CITY -				
FULL	FILENAME					
	T-02	2.dwg	J			
DATE		DES	CRIPT	ION		
		СО	NSTRU	JCTION		
SHEE	Т	DRA	WN B	Y		
	2		BB	3		
SCAL	E	PAG	E			
			2			
	REVIS	5101	NS			
REV.	DESCRIPTIO	N I	INITIALS	DATE		
		-				
		-				
		+				
		_				
	MATERI	AL	LIS	Τ		
ITEM	DESCRIPTION		QU	ANTITY		
1	TOTAL CABLE		0'			
2	DIR-BORE C		0'			
3 4	PULL CABLE		0'			
5	BURIED SLAC 1.25" HDPE	<i>-</i> لا	0'			
6	5" HDPE CA	SING	0,			
7	HANDHOLES	01110	0			
8	MANHOLES		0			
9	SPLICE CLOS	SURE	0			
10	H-POSTS		0			
11	GROUND RO		0			
12	AERIAL CABL	.E	0'			
			1 0			
13	RISERS		+			


2	
DISCLAIMER	

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT: THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE


PLACEMENT-TYPICALS

TYPICAL DETAIL "A" TYPICAL DETAIL "B" **TYPICAL DETAIL "C"** PLACE HDPE CROSS **PLACE CONDUIT CONCRETE / PAVEMENT OPEN CUT CROSS SECTION SECTION CROSS SECTION** REMOVE AND EXISTING GRADE - EXISTING GRADE BURIED CABLE EXISTING CONCRETE BURIED CABLE MARKER TAPE __" MIN. COVER (AS SPECIFIED) __" MIN. COVER (AS SPECIFIED) COMPACT BACKFILLS ANY NUMBER OF INNERDUCTS AND/OR HDPE'S, AS SPECIFIED HDPE, AS SPECIFIED CONDUIT. AS SPECIFIED CLEAN BACKF**I**LL 6" MIN. NOTE: BACKFILL MUST BE MADE WITH ROCK FREE MATERIAL

TYPICAL DETAIL "D" ASPHALT/PAVEMENT OPEN CUT CROSS SECTION




OPEN CUT-TYPICALS




TYPICAL DETAIL "E"

BORE CONCRETE SIDEWALK

TYPICAL DETAIL "F" **CORE BORE** (CONCRETE / BRICK WALL)



TYPICAL DETAIL "G" 12"x12" CONCRETE ENCASEMENT



NOTE: BACKFILL MUST BE MADE WITH ROCK FREE MATERIAL.

TYPICAL DETAIL "H"

PLACE (2) 1.25" HDPE IN CONDUIT





TYPICAL DETAIL "I"

PLACE CABLE IN HDPE




TYPICAL DETAIL "J" MANHOLE & HANDHOLE SLACK COIL DETAIL





TYPICAL DETAIL "K"



NOTIFY ALL UTILITIES 72 HOURS PRIOR TO CONSTRUCTION ACTIVITY.
ONE CALL SYSTEM @ 1-800-227-6477



FILE NAME	T-03
-----------	------

PROJECT CITY -

LL	FIL	EIN/	ME		
			-	0.7	

DATE	DESCRIPTION
	CONSTRUCTIO
SHEET	DRAWN BY
3	BBG
SCALE	PAGE

REVISIONS

1			
REV.	DESCRIPTION	INITIALS	DATE

MATERIAL LIST

	1V17 (1 L1 (17 (L	
ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	0'
2	DIR-BORE CABLE	0'
3	PULL CABLE	0'
4	BURIED SLACK	0'
5	1.25" HDPE	0'
6	5" HDPE CASING	0'
7	HANDHOLES	0
8	MANHOLES	0
9	SPLICE CLOSURE	0
10	H-POSTS	0
11	GROUND RODS	0
12	AERIAL CABLE	0'
13	RISERS	0
14		
		DV

PREPARED BY


ĺ			
		3	
		DISCLAIMER	
ı	EXCEPT AS MA	Y BE OTHERWISE	PROVIDED BY

CONTRACT: THESE DRAWINGS AND SPECIFICATIONS.
SHALL REMAIN THE PROPERTY OF CSPIRE FIBER.
BEING ISSUED IN STRICT
CONFIDENCE AND SHALL NOT BE REPRODUCED,
COPIED, OR USED FOR ANY PURPOSE
WITHOUT SPECIFIC WRITTEN PERMISSION.

CAPITOL CONCRETE PRODUCTS, INC

FIBER OPTIC/LIGHTGUIDE SPLICE VAUEOP 4'-0"X4'-0"X4'-0"

GRADE 60 REINFORCEMENT 4500 PSI CONCRETE REINFORCEMENT FOR AASHTO M-20 LOADING





FILE NAME T-04

PROJECT CITY -

FULL FILENAME

T-04.dwg

DATE DESCRIPTION CONSTRUCTION

SHEET DRAWN BY BBG

SCALE PAGE

REVISIONS

11210101						
EV.	DESCRIPTION	INITIALS	DATE			

MATERIAL LIST


ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	0'
2	DIR-BORE CABLE	0'
3	PULL CABLE	0'
4	BURIED SLACK	0'
5	1.25" HDPE	0'
6	5" HDPE CASING	0'
7	HANDHOLES	0
8	MANHOLES	0
9	SPLICE CLOSURE	0
10	H-POSTS	0
11	GROUND RODS	0
12	AERIAL CABLE	0'
17	DIOFES	_

PREPARED BY


14

	l			٠			•	ì				١	
4	Γ											_	
				:	:	:		:					
DISCLAIMER	_	_			_	_	_	_		•		_	


EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT: THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.




UH-4



UH-2







FILE NAME T-05

PROJECT CITY -

FULL FILENAME

T-05.dwg

DATE DESCRIPTION CONSTRUCTION

SHEET DRAWN BY BBG

SCALE PAGE

REVISIONS

	11211010110							
REV.	DESCRIPTION	INITIALS	DATE					

MATERIAL LIST

ITEM DESCRIPTION		QUANTITY
1	TOTAL CABLE FT.	0'
2	DIR-BORE CABLE	0'
3	PULL CABLE	0'
4	BURIED SLACK	0'
5	1.25" HDPE	0'
6	5" HDPE CASING	0'
7	HANDHOLES	0
8	MANHOLES	0
9	SPLICE CLOSURE	0
10	H-POSTS	0
11	GROUND RODS	0
12	AERIAL CABLE	0'
13	RISERS	0
14		
		DV

PREPARED BY

ı		
	5	
	DISCLAIMER	

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT: THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.

NOTIFY ALL UTILITIES 72 HOURS PRIOR TO CONSTRUCTION ACTIVITY. ONE CALL SYSTEM @ 1-800-227-6477

TYPICAL HAND HOLE INSTALLATION - CRIMPED AND MARKER POLE OR AT EVERY HANDHOLE LOCATION FLUSH MOUNT FINK PLATE IF NEEDED TOGETHER WITH A MARKER POST, MARKER POST WITH -1.25" HDPE SHOULD EXTEND 48" INTO LOCATE PIGTAIL CENTERED SPARE WIRE WILL GO MARKER POST. HDPE SHOULD ALSO BEHIND HANDHOLE UP FIBER TAIL INTO EXTEND 6" ABOVE GRAVEL AT THE THE SPLICE CASE BOTTOM OF THE HANDHOLE. AT EVERY TEST STATION, BURY GROUND ROD 6" BELOW GROUND AND 6" TO THE LEFT OF MARKER BLACK WIRE BONDED TO 8' GROUND ROD AT TEST STATIONS ONLY PLACE BLUE TAPE

NEAR THE TOP OF

HDPE TO INDICATE

THE DUCT LEADING

TO MARKER POST

PIGTAILS ARE TO BE INSTALLED AT TEST STATION (T.S.) ONLY.

PIGTAIL INSTALLED IN H/H

(CONNECTORIZED ENDS)

FED UP INTO MAKER POST

AND SHORT WIRE TO

GROUND ROD

WITH LONG WIRES

HANDHOLES ARE TO BE INSTALLED A MINIMUM OF THREE FEET FROM ANY UTILITY OR POWER POLE.

BOXES (Nestable)

8' x 5/8" GROUND ROD 6"

OUTSIDE OF HANDHOLE


BELOW GROUND AND 6" TO

THE LEFT OF MARKER POST

DESCRIPTION	PART NO.	WEIGHT	DESIGN/TEST LOAD#
UH-5 30x60x36	PG3060Z501	933# 423KG.	15'000 LBS
UH-4 30x48x36	PG3048Z579	563# 255KG.	15'000 LBS
UH-3 24x36x24	PG2436Z905	284# 129KG.	15'000 LBS

DIMENSIONS ARE IN INCHES OR MILLIMETERS IN BRACKETS UNLESS OTHERWISE NOTED.

TYPICAL BUDI BOX, SKIRT & ONT COMBO **OUTDOOR INSTALLATION** PROCEDURES AT BUILDING ENTRIES



PLEASE MOUNT BUDI BOX 36" OFF THE GROUND UNI ESS OTHERWISE STATED ON THE DRAWINGS BUDI BOX & ONT INSTALLATION LOCATION WILL BE SHOWN ON THE CONSTRUCTION DRAWINGS. PLEASE DO NOT USE PICTURES AS A HEIGHT INDICATOR FOR THE INSTALLATION.

MOUNT 3' RISER PIPE TO THE WALL USING SHOWN CONDUIT STRAPS. JOIN RISER PIPE TO SKIRT AT SHOWN LOCATION & MOUNT BUDI BOX & SKIRT TO WALL.

USING A 3/4" SWEEPING 90, CONNECT SKIRT TO ONT AND MOUNT ONT TO WALL. PLACE FIBER FROM DUCT INTO RISER PIPE AND INTO SKIRT LEAVING A 5' SLACK LOOP.

BUDI BOX, SKIRT & ONT COMBO OUTDOOR INSTALLATION COMPLETED INSTALL





PROJECT CITY -

1"=50'

FULL FILENAME T-06.dwd

DATE DESCRIPTION 03-10-16 CONSTRUCTION SHEET DRAWN BY J.BUSBY PAGE SCALE

REVISIONS

REV. DESCRIPTION INITIALS DATE

MATERIAL LIST

ITEM DESCRIPTION QUANTITY TOTAL CABLE FT. DIR-BORE CABLE 3 PULL CABLE BURIED SLACK 1.25" HDPE 5" HDPE CASING HANDHOLES 8 MANHOLES 9 SPLICE CLOSURE H-POSTS 11 GROUND RODS 12 AERIAL CABLE 13 RISERS

PRFPARFD BY

14




PREPARED FOR



MAP NUMBER DISCLAIMER EXCEPT AS MAY BE OTHERWISE PROVIDED BY

CONTRACT: THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT
CONFIDENCE AND SHALL NOT BE REPRODUCED,
COPIED, OR USED FOR ANY PURPOSE

TYPICAL ONT OUTDOOR INSTALLATION PROCEDURES AT BUILDING ENTRIES




- 1. PLEASE MOUNT ONT 48" OFF THE GROUND UNLESS OTHERWISE STATED ON THE DRAWINGS.
- 2. ONT & FDP INSTALLATION LOCATION WILL BE SHOWN ON THE CONSTRUCTION DRAWINGS. PLEASE DO NOT USE PICTURES AS A HEIGHT INDICATOR FOR THE INSTALLATION. MOUNT ONT AS CLOSE TO THE POWER METER AS POSSIBLE
- 3. DUCT PLACED BY DIRECTIONAL BORING SHOULD MEET THE RISER PIPE UNDERGROUND NEAR THE BASE OF THE WALL. A 4" GAP BETWEEN THE DUCT AND THE RISER PIPE IS ACCEPTABLE.
- 4. MOUNT 4' RISER PIPE TO THE WALL USING SHOWN CONDUIT CLAMPS.
- 5. JOIN RISER PIPE TO ONT AT SHOWN LOCATION & MOUNT ONT TO THE WALL.
- 6. PLACE FIBER FROM DUCT INTO RISER PIPE AND INTO ONT.
- 7. LEAVE 5' OF SLACK INSIDE OF THE ONT. SLACK SHOULD BE LOOSELY STORED AND NOT LOOPED TIGHTLY.

TYPICAL UH-1 / UH-2 HAND HOLE **INSTALLATION PROCEDURES** AT BUILDING ENTRIES



UH-1 / UH-2 INSTALLATION LOCATION WILL BE MARKED BY A STAKE AND/OR PAINT, CSPIRE/ OSP WILL INSTALL CONDUIT 8" UNDERGROUND TO DESIRABLE UH-1 LOCATION.



1. THIS ASSEMBLY IS RATED FOR A STATIC DESIGN LOAD OF 15,000 LBS. [66,720 N] OVER A 10 [254] X 10 [254] AREA AND MUST PASS A MIN. STATIC TEST LOAD OF 22,500 LBS.

"SPECIFICATION FOR UNDERGROUND ENCLOSURE INTEGRITY" AS MANUFACTURED BY QUAZITE OR

15 APPLICATIONS AND BOXES RATED FOR TIER 22

FOUIVALENT WITH TELEPAK NETWORK'S ENGINEER'S

APPLICATIONS AND IN NO ASSEMBLY CAN THE COVER

COMPONENTS IN AN ASSEMBLY (BOX & COVER) ARE

BE SELF-CLEANING AUGER BOLT ASSEMBLIES.

2. ALL ENCLOSURES, BOXES AND COVERS, ARE REQUIRED TO

CONFORM TO ALL TEST PROVISIONS OF ANSI/SCTE 77 2007

SIGNED APPROVAL, THE COVERS MUST BE RATED FOR TIER

DESIGN LOAD EXCEED THE DESIGN LOAD OF THE BOX. ALL

MANUFACTURED USING MATCHED SURFACE TOOLING, ALL


COVERS ARE REQUIRED TO HAVE A MINIMUM COEFFICIENT

AND HAVE TIER 15 AND "TELEPAK NETWORKS 800-342-3716"

EMBOSSED ON THE TOP SURFACE, ALL COVER BOLTS TO

OF ERICTION OF 0.50 IN ACCORDANCE WITH ASTM C.1028.

NOTIFY ALL UTILITIES 72 HOURS PRIOR TO CONSTRUCTION ACTIVITY.
ONE CALL SYSTEM @ 1-800-227-6477





FILE NAME T-07

PROJECT CITY -

FULL FILENAME

T-07.dwg

DATE

DESCRIPTION
CONSTRUCTION

SHEET

7

BBG

SCALE

PAGE

REVISIONS

REV.	DESCRIPTION	INITIALS	DATE

MATERIAL LIST


	1V17 (1 L1 (17 (L	
ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	0'
2	DIR-BORE CABLE	0'
3	PULL CABLE	0'
4	BURIED SLACK	0'
5	1.25" HDPE	0'
6	5" HDPE CASING	0'
7	HANDHOLES	0
8	MANHOLES	0
9	SPLICE CLOSURE	0
10	H-POSTS	0
11	GROUND RODS	0
12	AERIAL CABLE	0'
13	RISERS	0

PRFPARFD BY


J.....

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT. THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.


DIELECTRIC TEST STATION (DTS) TYPICALS



FLUSH MOUNTED WATER BOX INSTALLATION **OPTION TWO**



THREADED PVC FLUSH MOUNTED **ACCESS CAP OPTION THREE**





FILE NAME T-08	
PROJECT CITY -	
FULL FILENAME	
T-08	3.dwg
DATE	DESCRIPTION
	CONSTRUCTION
SHEET	DRAWN BY
8	BBG
SCALE	PAGE

SCALE

	KEVISIUNS						
₹٧.	DESCRIPTION	INITIALS	DATE				


DEVICIONS

	MATERIAL	LIST				
ITEM	DESCRIPTION	QUANTITY				
1	TOTAL CABLE FT.	0'				
2	DIR-BORE CABLE	0'				
3	PULL CABLE	0'				
4	BURIED SLACK	0'				
5	1.25" HDPE	0'				
6	5" HDPE CASING	0'				
7	HANDHOLES	0				
8	MANHOLES	0				
9	SPLICE CLOSURE	0				
10	H-POSTS	0				
11	GROUND RODS	0				
12	AERIAL CABLE	0'				
13	RISERS	0				
14						
	PREPARED BY					

EXCEPT AS MAY BE OTHERWISE PROVIDED BY EXCEPT AS MAY BE DIFFERENCE PROVIDED BY CONTRACT: THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE


SIDEWALK CUT & RESTORE TYPICAL DETAIL

SIDEWALK MUST BE ADA COMPLIANT WHERE APPLICABLE



CONSTRUCTION NOTES:

- PROVIDE BARRIERS AND TRAFFIC CONTROL PER MUTCD REV.3 OR NEWER.
 CUT & RESTORE AREAS SHALL BE RETURNED TO ORIGINAL, OR BETTER CONDITION.
- 3. SIDEWALKS THAT HAVE EXPANSION BOARD IN USE IN ADJACENT AREAS SHALL BE RESTORED WITH EXPANSION BOARD.
- 4. EXPOSED AGGREGATE FINISHED SIDEWALKS SHALL BE RESTORED WITH SAME FINISH.
- 5. ENSURE FINISH IS SLIP RESISTANT.
- 6. BRICK SIDEWALKS SHALL BE RESTORED TO THE SAME FINISH.
- 7. ENSURE FLUSH MOUNT TEST STATIONS DO NOT PRESENT A TRIP HAZARD.
- 8. COVER CONCRETE FOR A MINIMUM OF 12 HOURS PRIOR TO REMOVING PEDESTRIAN BARRIERS.
- 9. RESTORATION AREA MUST BE RESTORED TO AN OPERATIONAL SIDEWALK PRIOR TO CLOSING ANY CONSTRUCTION PERMITS.






FILE I	NAME	T-09				
PROJE	ECT CIT	Υ -				
FULL	FILEN					
		T-09	∂.d	wg		
DATE			DE	ESC	RIPT	ION
				CON	NSTRU	JCTION
SHEE	T.		DF	RAV	VN B	Y
	9				BB	3
SCAL	 E		P	٩GE		
	_				9	
		REVIS	SI(<u> </u>	1S	
REV.	DESC	CRIPTIO	N	IN	IITIALS	DATE
	MΑ	TERI.	ΑL	_	LIS	Τ
ITEM	DES	CRIPTIO	N		QU	ANTITY
1	_	AL CABLE	_	_	0'	
2	_	-BORE C		LE	0'	
3	_	L CABLE			0'	
5		IED SLAG 5" HDPE	UK.		0'	
6		HDPE CA	SIN	IG	0,	
7		DHOLES			0	
8	_	HOLES			0	
9	SPLI	CE CLOS	SUF	RΕ	0	
10	H-P	OSTS			0	
11		UND RO			0	
12	_	AL CABL	E.		0'	
13	RISE	.KS			0	
14	L				l	

	9				
DISCLAIMER					
EVOCEDT AC MA	V DE OTHERWICE	DDOMDED DV			

PREPARED BY

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT: THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE





FILE NAME HOLMES CO. CONSOLIDATED SCHOOL DIST.

PROJECT CITY -DURANT, MS

FULL FILENAME

WILLIAMS-SULLIVAN ELEMENTARY SCHOOL.DWG

DATE	DESCRIPTION
02-03-2021	CONSTRUCTION
SHEET	DRAWN BY
001	BBG
SCALE	PAGE
1"-50'	001

REVISIONS

REV.	DESCRIPTION	INITIALS	DATE

MATERIAL LIST

ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	472'
2	DIR-BORE CABLE	247'
3	PULL CABLE	o'
4	BURIED SLACK	225'
5	1.25" HDPE	494'
6	5" HDPE CASING	0'
7	HANDHOLES	1
8	MANHOLES	0
9	SPLICE CLOSURE	0
10	H-POSTS	0
11	GROUND RODS	2
12	AERIAL CABLE	0'
13	RISERS	0



MAP	NUMBER	
	0.01	
DIS	CLAIMER	

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT: THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.

NOTIFY ALL UTILITIES 72 HOURS PRIOR TO CONSTRUCTION ACTIVITY.
ONE CALL SYSTEM @ 1-800-227-6477